



**GAMBLING COMMISSION (GREAT BRITAIN)**

---

**INDEPENDENT RNG CERTIFICATION REPORT**

FOR

HILLSIDE (UK SPORTS) LP

CERTIFICATE NUMBER:  
80435HNMGB001

### **IMPORTANT DISCLAIMER**

This report is supplied on the basis that it is for the sole use of the parties listed and to whom it is addressed, and exclusively for the objectives set out herein.

No party, other than those specified, may rely on this report for any purpose whatsoever.

eGaming Compliance Services Limited ('eCOGRA') does not accept any liability or responsibility towards any third party to whom this report is shown or into whose hands it may fall.

This report should not be relied upon for any assurances in relation to third parties and/or activities which are not covered by the certifiable regulatory requirements or compliance standards of the jurisdiction, regulatory authority or compliance entity or system for whose purposes this report is stated to have been prepared. All such other parties and activities are outside the scope of this report and have therefore not been reviewed by eCOGRA.

The nature, timing and extent of testing conducted for the purpose of the certification is considered sufficient and appropriate based on the applicable certifiable regulations and professional judgement applied to the associated risk of non-compliance. The certification of compliance should not be construed to imply any warranty over the functionality, quality or performance of the subject of certification. eCOGRA reserves the right to withdraw this certificate if any non-compliances are subsequently detected by or reported to eCOGRA.

### **CONFIDENTIALITY NOTICE**

This document is proprietary to eCOGRA and contains confidential information of commercial value to eCOGRA, the disclosure of which to third parties could adversely affect the business affairs of eCOGRA.

This information is supplied in confidence to you, on the strict condition that no part of it is disclosed to any third party, in particular to any person or organisation that may be in competition with eCOGRA without the prior written approval of eCOGRA.

**TABLE OF CONTENTS**

SECTION 1. GENERAL INFORMATION .....	4
SECTION 2. INTRODUCTION .....	6
SECTION 3. HARDWARE DETAILS .....	6
SECTION 4. REVIEW FINDINGS.....	7
SCHEDULE 1. RNG TESTING .....	10
1. TESTS PERFORMED.....	10
2. TEST RESULTS .....	10
3. CONCLUSION .....	17

**SECTION 1. GENERAL INFORMATION**

License Holder:	Hillside (UK Sports) LP Unit 1.1, Waterport Place 2 Europort Avenue, Gibraltar
Product Name:	Quantum Number Generator: PureQuantum™ Model PQ4000KS
Supplier:	ComScire
Product Description:	The ComScire RNG devices are hardware quantum random number generators commonly used for cryptographic purposes as well as online gaming and other applications requiring high levels of security and randomness properties.
Product Version:	PureQuantum™ Model PQ4000KS
RNG Type:	Hardware
Scope of Testing:	Remote Gambling and Software Technical Standards (“RTS”) – June 2017, Level 1 testing against RTS 7A
Testing Laboratory:	eGaming Compliance Services Limited, trading as ‘eCOGRA’ 2/F Berkeley Square House Berkeley Square London W1J 6 BD United Kingdom
Testing Laboratory Accreditation:	A UKAS accredited testing laboratory No. 4656 ISO/IEC 17025:2005, issued by the United Kingdom Accreditation Service
Test Engineers:	Sthembiso Mvelase, Sphamandla Langa, Sikhumbuso Mzobe, Pooveshan Gounden
Test Supervisor:	Gary Lupton-Smith
Testing Start Date:	16 April 2018
Certificate Date:	08 May 2018
Certificate Number:	80435HNMGB001
Result of Testing:	Compliant (Refer to Test Results under Schedule 1)

I hereby certify that the abovementioned RNG complies with the requirements of RTS 7A of the UKGC's Remote Gambling and Software Technical Standards – June 2017, as described in Section 4 of this report.

Gary Lupton-Smith

A handwritten signature in black ink, appearing to read "Gary Lupton-Smith".

Technical Services Manager, eCOGRA

## SECTION 2. INTRODUCTION

eCOGRA has been appointed by Hillside (UK Sports) LP to evaluate and certify the ComScire Quantum Number Generator product against compliance with the relevant Remote gambling and software technical standards – June 2017, and to highlight any exceptions identified during testing.

➤ **ComScire Quantum Number Generator: PureQuantum™ Model PQ4000KS**

This certification report highlights our key findings as a result of the evaluation conducted during the period 16 April 2018 to 06 May 2018.

## SECTION 3. HARDWARE DETAILS

The scope of the RNG evaluation and certification applies solely to the RNG devices provided in the table below:

### Random Number Generator

RNG	Description	Serial Number	Interface
ML2 – QWR60236	ComScire PQ4000KS	QWR60236	USB 2.0 Full-Speed interface
ML3 – QWR60237	ComScire PQ4000KS	QWR60237	USB 2.0 Full-Speed interface

**SECTION 4. REVIEW FINDINGS**

The key findings of our evaluation of the RNG for compliance with the relevant sections of the Remote Gambling and Software Technical Standards – June 2017, are as follows:

RTS Requirement	RTS Implementation Guidance	Testing Applied	Assessment	Comments
<b>RTS 7 – Generation of random outcomes</b>				
<i>(Aim: To ensure that games and other virtual events operate fairly)</i>				
<b>RTS requirement 7A</b> Random number generation and game results must be ‘acceptably random’. Acceptably random here means that it is possible to demonstrate to a high degree of confidence that the output of the RNG, game, lottery and virtual event outcomes are random, through, for example, statistical analysis using generally accepted tests and methods of analysis. Adaptive behaviour (i.e. a compensated game) is not	<b>RTS implementation guidance 7A</b> a. RNG’s should be capable of demonstrating the following qualities: i. the output from the RNG is uniformly distributed over the entire output range and game, lottery, or virtual event outcomes are distributed in accordance with the expected/theoretical probabilities ii. the output of the RNG, game, lottery, and virtual event outcomes should be unpredictable, for example, for a software RNG it should be computationally infeasible to predict what the next number will be without	Refer to “1. Tests Performed” under “Schedule 1 – RNG Testing” below.	Compliant	

RTS Requirement	RTS Implementation Guidance	Testing Applied	Assessment	Comments
<p>permitted.</p> <p>Where lotteries use the outcome of other events external to the lottery, to determine the result of the lottery (for example, using numbers from the National Lottery) the outcome must be unpredictable and externally verifiable.</p>	<p>complete knowledge of the algorithm and seed value</p> <p>iii. random number generation does not reproduce the same output stream (cycle), and that two instances of a RNG do not produce the same stream as each other (synchronise)</p> <p>iv. any forms of seeding and re-seeding used do not introduce predictability</p> <p>v. any scaling applied to the output of the random number generator maintains the qualities above.</p> <p>c. For games or virtual events that use the laws of physics to generate the outcome of the game (mechanical RNGs), the mechanical RNG used should be capable of meeting the requirements in a. where applicable and in addition:</p> <p>i. the mechanical pieces should be constructed of materials to prevent decomposition of any component over time (e.g. a ball shall not disintegrate)</p>			



RTS Requirement	RTS Implementation Guidance	Testing Applied	Assessment	Comments
	<p>ii. the properties of physical items used to choose the selection should not be altered</p> <p>iii. players should not have the ability to interact with, come into physical contact with, or manipulate the mechanics of the game.</p> <p>d. Restricting adaptive behaviour prohibits automatic or manual interventions that change the probabilities of game outcomes occurring during play. Restricting adaptive behaviour is not intended to prevent games from offering bonus or special features that implement a different set of rules, if they are based on the occurrence of random events.</p>			

## **SCHEDULE 1. RNG TESTING**

### **1. TESTS PERFORMED**

The scope of the evaluation consisted of an assessment of the following components:

- Documentation review;
- Statistical and mathematical analysis;
- RNG range; and
- RNG scaling.

The RNG evaluation was performed to ensure the following requirements were met:

- The data must be randomly generated;
- The data must be unpredictable; and
- The series cannot be reproduced.

The test suite used to perform the evaluation consisted of the following:

- Chi-Squared Tests;
- Wald-Wolfowitz (Runs Tests);
- Expected probabilities for shuffled decks; and
- Diehard Test Suite.

### **2. TEST RESULTS**

Numerous recognised statistical and mathematical tests were performed to certify the RNG operated in compliance with RTS 7A of the Remote Gambling and Software Technical Standards – June 2017, including tests for probability (to ensure the expected occurrences), randomness (so that one cannot predict the following occurrence with any degree of certainty) and uniformity (to determine that each possible outcome is equally likely over the long-term). The acceptance criteria for the statistical tests should pass the tests at a 95% confidence level.

**Model: ComScire PQ4000KS      Serial Number QWR60236**

**1. OUTPUT BASED TESTING ON SCALED RANGES: 0-33, 0-36, 0-51, 0-66, 0-99, 0-500, 0-999**

**a. SCALED RANGES RESULTS**

OUTPUT BASED TESTING				CLIENT GENERATED DATA			eCOGRA GENERATED DATA		
				Sample 1	Sample 2	Sample 3	Sample 1	Sample 2	Sample 3
Test Number	Sample Size	Test Range	DoF	P-value	P-value	P-value	P-value	P-value	P-value
1	3 000 000	0-33	33	0.5385	0.0954	0.8590	0.4423	0.3147	0.5656
2	3 000 000	0-36	36	0.4941	0.8378	0.9415	0.5638	0.8644	0.3146
3	3 000 000	0-51	51	0.4106	0.3867	0.2905	0.9575	0.5346	0.7483
4	3 000 000	0-66	66	0.8739	0.0559	0.3596	0.2306	0.9327	0.5123
5	3 000 000	0-99	99	0.9902	0.3459	0.7741	0.5505	0.8882	0.0579
6	3 000 000	0-500	500	0.2277	0.3998	0.8501	0.8536	0.0071	0.6848
7	3 000 000	0-999	999	0.3823	0.3783	0.4454	0.1791	0.3429	0.1225

**b. SCALED RANGES RESULTS TEST SUCCESS (✓) OR FAILURE (×) SUMMARY**

OUTPUT BASED TESTING				CLIENT GENERATED DATA			eCOGRA GENERATED DATA		
				Sample 1	Sample 2	Sample 3	Sample 1	Sample 2	Sample 3
Test Number	Sample Size	Test Range	DoF	P-value	P-value	P-value	P-value	P-value	P-value
1	3 000 000	0-33	33	✓	✓	✓	✓	✓	✓
2	3 000 000	0-36	36	✓	✓	✓	✓	✓	✓
3	3 000 000	0-51	51	✓	✓	✓	✓	✓	✓
4	3 000 000	0-66	66	✓	✓	✓	✓	✓	✓
5	3 000 000	0-99	99	✓	✓	✓	✓	✓	✓
6	3 000 000	0-500	500	✓	✓	✓	✓	✓	✓
7	3 000 000	0-999	999	✓	✓	✓	✓	✓	✓

**2. OUTPUT BASED TESTING ON SHUFFLED DECKS**

**a. SHUFFLED DECKS RESULTS**

OUTPUT BASED TESTING				CLIENT GENERATED DATA			eCOGRA GENERATED DATA		
				Sample 1	Sample 2	Sample 3	Sample 1	Sample 2	Sample 3
Test Number	Sample Size	Test Range	DoF	P-value	P-value	P-value	P-value	P-value	P-value
1	3 000 000	5 Card Hands	8	0.3428	0.4913	0.3538	0.5363	0.2725	0.3187
2	3 000 000	7 Card Hands	9	0.3723	0.3792	0.5257	0.2151	0.4053	0.6080
3	3 000 000	5-7 Card Multiples Combinations	17	0.4675	0.4821	0.4368	0.2049	0.2738	0.5215
4	3 000 000	5-7 Card Suit Combinations	29	0.4316	0.1243	0.5271	0.2390	0.4061	0.3720

**b. SHUFFLED DECKS RESULTS TEST SUCCESS (✓) OR FAILURE (×) SUMMARY**

OUTPUT BASED TESTING				CLIENT GENERATED DATA			eCOGRA GENERATED DATA		
				Sample 1	Sample 2	Sample 3	Sample 1	Sample 2	Sample 3
Test Number	Sample Size	Test Range	DoF	P-value	P-value	P-value	P-value	P-value	P-value
1	3 000 000	5 Card Hands	8	✓	✓	✓	✓	✓	✓
2	3 000 000	7 Card Hands	9	✓	✓	✓	✓	✓	✓
3	3 000 000	5-7 Card Multiples Combinations	17	✓	✓	✓	✓	✓	✓
4	3 000 000	5-7 Card Suit Combinations	29	✓	✓	✓	✓	✓	✓

### 3. DIEHARD TESTS

#### a. DIEHARD TEST RESULTS

DIEHARD TEST		CLIENT GENERATED DATA			eCOGRA GENERATED DATA		
Test Name	Sample Size	Sample 1	Sample 2	Sample 3	Sample 1	Sample 2	Sample 3
BIRTHDAY SPACINGS TEST	48 000 000	0.1089	0.0134	0.1116	0.0994	0.0631	0.0372
OVERLAPPING 5-PERMUTATION TEST	48 000 000	0.6499	0.3192	0.1011	0.9099	0.1559	0.0509
THE BITSTREAM TEST	48 000 000	0.1986	0.0222	0.0290	0.0552	0.0984	0.0126
COUNT-THE-1's TEST bytes	48 000 000	0.0235	0.0857	0.1123	0.0216	0.0561	0.0429
MINIMUM DISTANCE TEST	48 000 000	0.3574	0.9313	0.5678	0.4925	0.8105	0.0846
SQUEEZE TEST	48 000 000	0.6265	0.5878	0.5670	0.2676	0.9473	0.0195
RUNS TEST	48 000 000	0.1176	0.0199	0.4143	0.3895	0.0128	0.3274
CRAPS TEST	48 000 000	0.5178	0.0899	0.0168	0.2346	0.2673	0.4348

#### b. DIEHARD TESTS RESULTS SUCCESS (✓) OR FAILURE (×) SUMMARY

DIEHARD TEST		CLIENT GENERATED DATA			eCOGRA GENERATED DATA		
Test Name	Sample Size	Sample 1	Sample 2	Sample 3	Sample 1	Sample 2	Sample 3
BIRTHDAY SPACINGS TEST	48 000 000	✓	✓	✓	✓	✓	✓
OVERLAPPING 5-PERMUTATION TEST	48 000 000	✓	✓	✓	✓	✓	✓
THE BITSTREAM TEST	48 000 000	✓	✓	✓	✓	✓	✓
COUNT-THE-1's TEST bytes	48 000 000	✓	✓	✓	✓	✓	✓
MINIMUM DISTANCE TEST	48 000 000	✓	✓	✓	✓	✓	✓
SQUEEZE TEST	48 000 000	✓	✓	✓	✓	✓	✓
RUNS TEST	48 000 000	✓	✓	✓	✓	✓	✓
CRAPS TEST	48 000 000	✓	✓	✓	✓	✓	✓

**Model: ComScire PQ4000KS      Serial Number QWR60237**

**1. OUTPUT BASED TESTING ON SCALED RANGES: 0-33, 0-36, 0-51, 0-66, 0-99, 0-500, 0-999**

**a. SCALED RANGES RESULTS**

OUTPUT BASED TESTING				CLIENT GENERATED DATA			eCOGRA GENERATED DATA		
				Sample 1	Sample 2	Sample 3	Sample 1	Sample 2	Sample 3
Test Number	Sample Size	Test Range	DoF	P-value	P-value	P-value	P-value	P-value	P-value
1	3 000 000	0-33	33	0.3737	0.3397	0.0688	0.9695	0.4561	0.4323
2	3 000 000	0-36	36	0.3056	0.1929	0.4208	0.9317	0.9326	0.4455
3	3 000 000	0-51	51	0.8125	0.3791	0.6873	0.5336	0.2357	0.4926
4	3 000 000	0-66	66	0.2704	0.5541	0.1647	0.5640	0.1054	0.6918
5	3 000 000	0-99	99	0.3905	0.0763	0.4428	0.0106	0.3829	0.0817
6	3 000 000	0-500	500	0.6794	0.7325	0.4518	0.7866	0.5413	0.6533
7	3 000 000	0-999	999	0.4438	0.3098	0.5568	0.8427	0.2126	0.0126

**b. SCALED RANGES RESULTS TEST SUCCESS (✓) OR FAILURE (×) SUMMARY**

OUTPUT BASED TESTING				CLIENT GENERATED DATA			eCOGRA GENERATED DATA		
				Sample 1	Sample 2	Sample 3	Sample 1	Sample 2	Sample 3
Test Number	Sample Size	Test Range	DoF	P-value	P-value	P-value	P-value	P-value	P-value
1	3 000 000	0-33	33	✓	✓	✓	✓	✓	✓
2	3 000 000	0-36	36	✓	✓	✓	✓	✓	✓
3	3 000 000	0-51	51	✓	✓	✓	✓	✓	✓
4	3 000 000	0-66	66	✓	✓	✓	✓	✓	✓
5	3 000 000	0-99	99	✓	✓	✓	✓	✓	✓
6	3 000 000	0-500	500	✓	✓	✓	✓	✓	✓
7	3 000 000	0-999	999	✓	✓	✓	✓	✓	✓

**2. OUTPUT BASED TESTING ON SHUFFLED DECKS**

**a. SHUFFLED DECKS RESULTS**

OUTPUT BASED TESTING				CLIENT GENERATED DATA			eCOGRA GENERATED DATA		
				Sample 1	Sample 2	Sample 3	Sample 1	Sample 2	Sample 3
Test Number	Sample size	Test Range	DoF	P-value	P-value	P-value	P-value	P-value	P-value
1	3 000 000	5 Card Hands	8	0.2974	0.3431	0.4059	0.4533	0.2374	0.6391
2	3 000 000	7 Card Hands	9	0.4133	0.3852	0.5794	0.5316	0.3710	0.6099
3	3 000 000	5-7 Card Multiples Combinations	17	0.1375	0.5336	0.5011	0.5422	0.4457	0.6765
4	3 000 000	5-7 Card Suit Combinations	29	0.5613	0.3579	0.3687	0.3393	0.3377	0.8246

**b. SHUFFLED DECKS RESULTS TEST SUCCESS (✓) OR FAILURE (x) SUMMARY**

OUTPUT BASED TESTING				CLIENT GENERATED DATA			eCOGRA GENERATED DATA		
				Sample 1	Sample 2	Sample 3	Sample 1	Sample 2	Sample 3
Test Number	Sample size	Test Range	DoF	P-value	P-value	P-value	P-value	P-value	P-value
1	3 000 000	5 Card Hands	8	✓	✓	✓	✓	✓	✓
2	3 000 000	7 Card Hands	9	✓	✓	✓	✓	✓	✓
3	3 000 000	5-7 Card Multiples Combinations	17	✓	✓	✓	✓	✓	✓
4	3 000 000	5-7 Card Suit Combinations	29	✓	✓	✓	✓	✓	✓

### 3. DIEHARD TESTS

#### a. DIEHARD TEST RESULTS

DIEHARD TEST		CLIENT GENERATED DATA			eCOGRA GENERATED DATA		
Test Name	Sample Size	Sample 1	Sample 2	Sample 3	Sample 1	Sample 2	Sample 3
BIRTHDAY SPACINGS TEST	48 000 000	0.0749	0.0389	0.1141	0.1418	0.2129	0.0389
OVERLAPPING 5-PERMUTATION TEST	48 000 000	0.0714	0.9988	0.0068	0.6633	0.0722	0.4566
THE BITSTREAM TEST	48 000 000	0.0549	0.0972	0.0125	0.0051	0.0232	0.0151
COUNT-THE-1's TEST bytes	48 000 000	0.0083	0.0020	0.0639	0.0231	0.0157	0.0600
MINIMUM DISTANCE TEST	48 000 000	0.0330	0.9395	0.3341	0.8437	0.1314	0.7469
SQUEEZE TEST	48 000 000	0.3306	0.4662	0.3233	0.1583	0.0862	0.2356
RUNS TEST	48 000 000	0.3822	0.2204	0.1175	0.0762	0.0718	0.2885
CRAPS TEST	48 000 000	0.5290	0.6719	0.4065	0.2197	0.1499	0.1672

#### b. DIEHARD TESTS RESULTS SUCCESS (✓) OR FAILURE (×) SUMMARY

DIEHARD TEST		CLIENT GENERATED DATA			eCOGRA GENERATED DATA		
Test Name	Sample Size	Sample 1	Sample 2	Sample 3	Sample 1	Sample 2	Sample 3
BIRTHDAY SPACINGS TEST	48 000 000	✓	✓	✓	✓	✓	✓
OVERLAPPING 5-PERMUTATION TEST	48 000 000	✓	✓	✓	✓	✓	✓
THE BITSTREAM TEST	48 000 000	✓	✓	✓	✓	✓	✓
COUNT-THE-1's TEST bytes	48 000 000	✓	✓	✓	✓	✓	✓
MINIMUM DISTANCE TEST	48 000 000	✓	✓	✓	✓	✓	✓
SQUEEZE TEST	48 000 000	✓	✓	✓	✓	✓	✓
RUNS TEST	48 000 000	✓	✓	✓	✓	✓	✓
CRAPS TEST	48 000 000	✓	✓	✓	✓	✓	✓



### **3. CONCLUSION**

Our test results produced statistically acceptable outcomes that were free of any significant statistical bias or predictability. Based on the testing conducted, the RNG is compliant with the requirements of RTS 7A of the UKGC's Remote gambling and software technical standards – June 2017.